

1963 - 1975 Corvette: Schematics: Hardtop Wrench and Drawstring Bag

Below are Chevrolet Engineering Schematics for the hardtop wrench and drawstring bag used on 1963 - 1975 Corvettes.

3832456

卷之三

1

DATE	ITEM	DESCRIPTION	AUTHORITY	DR.	CR.
------	------	-------------	-----------	-----	-----

5.38 ± .05

.41

.44

.44

CONTOUR OF OPENING
OPTIMAL TO FACILITATE
MANUFACTURE
BOTH ENDS.

.96 .440 .446

.19 ± .02

OPTIONAL CONSTRUCTION

FINISH:
SAFETYBLASTED & FULL NICKEL PLATE
ALMOST IMMEDIATELY & HAS EXPOSURE
TO 5% NEUTRAL SALT SPRAY
HARDEN - ROCKWELL C-55-45

OPTIONAL FINISH:
ZINC OR CADMIUM PLATE. GAN 425.241
CODE 'O' WITH CLEAR LACQUER
FINISH.

MUST BE FREE FROM BURRS & SHARP
EDGES.


OUTSIDE MANUFACTURER'S IDENTIFICATION MUST
APPEAR ON THIS PART: OMISSION REQUIRES
APPROVAL OF THE CHEVROLET MOTOR DIVISION.

DATE	STK.	REVISION RECORD	AUTHORITY	DL	CK
3-20-49		REDRAWN AND OPTION ADDED.	EL54 R		
BY					

ALLOWABLE VARIATION ON ALL FRACTIONAL DIMENSIONS IS PLUS ____ OR MINUS ____ UNLESS OTHERWISE SPECIFIED
DO NOT SCALE

ONE 22-9-31 SCALE FULL
FIRST USED _____ C.R. GOODRICH
REFERENCE _____ SPK. _____
MATERIAL SPEC. COTTON
NAME BAG WITH DRAW STRING
PLANT NO. 3 X 4

458526



Online URL:

<https://www.corvetteactioncenter.com/tech/knowledgebase/article/1963-1975-corvette-schematics-hardtop-wrench-and-drawstring-bag-1257.html>